



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Wednesday, August 12, 2020** at 12:15 a.m. Eastern Time. Please contact NSF to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information: <http://info.nsf.org/Certified/PwsChemicals/Listings.asp?Company=22370&>

NSF/ANSI/CAN 60 Drinking Water Treatment Chemicals - Health Effects

Hill Brothers Chemical Company

1675 North Main Street

Orange, CA 92667

United States

714-998-8800

Facility : Phoenix, AZ

Calcium Chloride

Trade Designation

HICO Liquid Calcium Chloride

Product Function

Defluoridation

Max Use

200mg/L

Softener

Liquid Calcium Chloride 30-38%

Softener

200mg/L

Defluoridation

Chlorine[CL]

Trade Designation

Chlorine Gas

Product Function

Disinfection & Oxidation

Max Use

30 mg/L

[CL] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations.

Ferric Chloride

Trade Designation

Ferric Chloride 42 BE

Product Function

Coagulation & Flocculation

Max Use

250mg/L

Ferrous Chloride

Trade Designation

Ferrous Chloride

Product Function

Coagulation & Flocculation

Max Use

250mg/L

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquid Caustic Soda, 25%	pH Adjustment	200 mg/L
Liquid Caustic Soda, 30%	pH Adjustment	167 mg/L
Liquid Caustic Soda, 33%	pH Adjustment	152 mg/L
Liquid Caustic Soda, 50%	pH Adjustment	100 mg/L

Sodium Hypochlorite[CL]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
12.5% Liquid Bleach	Disinfection & Oxidation	84mg/L
Sodium Hypochlorite - 12.5%	Disinfection & Oxidation	84mg/L
Sodium hypochlorite 5.25%	Disinfection & Oxidation	200mg/L

[CL] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations.

Sulfuric Acid

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sulfuric Acid 40%	Corrosion & Scale Control pH Adjustment	103mg/L
Sulfuric Acid 50%	Corrosion & Scale Control pH Adjustment	92mg/L
Sulfuric Acid 66 Baume	Corrosion & Scale Control pH Adjustment	50mg/L
Sulfuric Acid 93%	Corrosion & Scale Control pH Adjustment	50mg/L

Facility : Industry, CA**Ammonia, Anhydrous**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Ammonia Gas	Disinfection & Oxidation Ozone Reduction	5mg/L
Anhydrous Ammonia	Disinfection & Oxidation Ozone Reduction	5mg/L

Ammonium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Ammonium Hydroxide 19%	Disinfection & Oxidation	26mg/L
Ammonium Hydroxide 20%	Disinfection & Oxidation	25mg/L
Ammonium Hydroxide 24.5%	Disinfection & Oxidation	20mg/L
Ammonium Hydroxide 29.45%	Disinfection & Oxidation	17mg/L
Aqua Ammonia 20%	Disinfection & Oxidation	25mg/L
Aqua Ammonia 24.5%	Disinfection & Oxidation	20mg/L
Aqua Ammonia 26 BE	Disinfection & Oxidation	17mg/L

Ammonium Sulfate

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
--------------------------	-------------------------	----------------

Ammonium Sulfate 40% Solution	Chloramination Disinfection & Oxidation	60mg/L
Liquid Ammonium Sulfate 40%	Chloramination Disinfection & Oxidation	60mg/L

Calcium Chloride

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
HICO Liquid Calcium Chloride	Defluoridation Softener	200mg/L
Liquid Calcium Chloride 30-38%	Defluoridation Softener	200mg/L

Facility : San Jose, CA

Ammonia, Anhydrous

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Ammonia Gas	Disinfection & Oxidation Ozone Reduction	5mg/L
Anhydrous Ammonia	Disinfection & Oxidation Ozone Reduction	5mg/L

Ammonium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Ammonium Hydroxide 19%	Disinfection & Oxidation	26 mg/L
Ammonium Hydroxide 20%	Disinfection & Oxidation	25 mg/L
Ammonium Hydroxide 24.5%	Disinfection & Oxidation	20 mg/L
Ammonium Hydroxide 29.45%	Disinfection & Oxidation	17 mg/L
Aqua Ammonia 20%	Disinfection & Oxidation	25 mg/L
Aqua Ammonia 24.5%	Disinfection & Oxidation	20 mg/L
Aqua Ammonia 26 BE	Disinfection & Oxidation	17 mg/L

Ammonium Sulfate

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Ammonium Sulfate 40% Solution	Chloramination Disinfection & Oxidation	60mg/L
Liquid Ammonium Sulfate 40%	Chloramination Disinfection & Oxidation	60mg/L

Calcium Chloride

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
HICO Liquid Calcium Chloride 200	Defluoridation Softener	200mg/L
Liquid Calcium Chloride 30-38%	Softener Defluoridation	200mg/L

Number of matching Manufacturers is 1

Number of matching Products is 42

Processing time was 0 seconds