

APPENDIX C: DWR 2025 UWMP TABLES

DRAFT

Submittal Table 2-1 Retail: Public Water Systems

Public Water System Number	Public Water System Name	Number of Municipal Connections 2025	Volume of Water Supplied 2025 (AF)
Add additional rows as needed			
CA1910240	SCV Water	75,686	60,945
Total		75,686	60,945

DWR NOTES:
Units of measure (AF, CCF, MG) must remain consistent throughout the UWMP as reported in Submittal Table 2-3. This table identifies the unit of measure selected in Submittal Table 2-3.

NOTES: Table 2-2 in UWMP.

Submittal Table 2-2: Plan Identification

Select One	Type of Plan	Name of Regional Alliance or RUWMP (Drop Down List)
<input checked="" type="checkbox"/>	Individual UWMP	
	If Water Supplier is also a member of a SB X7-7 Regional Alliance, select name from the drop-down.	
<input type="checkbox"/>	Regional Urban Water Management Plan (RUWMP)	
	If Supplier selected RUWMP, select name from the drop-down.	
NOTES: Table 2-1 in UWMP		

Submittal Table 2-3: Supplier Identification

Type of Supplier (select one or both)

- | | |
|-------------------------------------|----------------------------------|
| <input type="checkbox"/> | Supplier is a wholesale supplier |
| <input checked="" type="checkbox"/> | Supplier is a retail supplier |

Fiscal or Calendar Year (select one)

- | | |
|-------------------------------------|-----------------------------------|
| <input checked="" type="checkbox"/> | UWMP Tables are in calendar years |
| <input type="checkbox"/> | UWMP Tables are in fiscal years |

If using fiscal years provide month and date that the fiscal year begins (mm/dd)

Units of measure used in UWMP
(Select from the drop down list).

Unit	AF
------	----

DWR NOTES:
Units of measure (AF, CCF, MG) must remain consistent throughout the UWMP as reported in Submittal Table 2-3.

NOTES: Table 2-3 in UWMP.

**Submittal Table 2-4 Retail: Water Supplier Information Exchange
Water Code Section 10631(h)**

The retail Supplier has informed the following wholesale supplier(s) of projected water use.

Wholesale Water Supplier Name

Add additional rows as needed

Metropolitan Water District of Southern California

United Water Conservation District

Casitas Municipal Water District

LACWWD 36

SWP Contractors & DWR

Rosedale-Rio Bravo Water Storage District (RRBWSD)

NOTES: Not in UWMP

10631(h) An urban water supplier that relies upon a wholesale agency for a source of water shall provide the wholesale agency with water use projections from that agency for that source of water in five-year increments to 20 years or as far as data is available.

**Submittal Table 3-1 Retail: Population - Current and Projected
Water Code Section 10631(a)**

Population Served	2025	2030	2035	2040	2045	2050(opt)
	285,637	300,505	316,146	332,602	349,914	368,128

NOTES: This data includes only SCV Water population and does not include LACWWD 36 population. **Table 3-1** in the UWMP shows both the regional population and SCV Water's population only.

CWC 10631(a) describe the current and projected population of the service area including current and projected population...

Submittal Table 4-1 Retail: Total Uses for Potable and Non-Potable Water — Actual Water Code Section 10631(d)(1)			
Use Type	Additional Description (as needed)	2025 Actual Water Use	
Drop down list May select each use multiple times These are the only use types that will be recognized by the WUEdata online submittal tool		Potable or Non-Potable (OPTIONAL) Drop down list	Volume (AF)
Add additional rows as needed			
Single Family		Potable	31,407
Multi-Family		Potable	6,060
Commercial		Potable	5,308
Industrial		Potable	1,011
Institutional/Governmental		Potable	1,663
Landscape		Potable	13,791
Other (optional)		Potable	982
Landscape	Potable Makeup Water for Non-potable System	Potable	139
Sales/Transfers/Exchanges to other Suppliers	LACWWD 36	Potable	231
Landscape	Recycled Water	Non-Potable	353
		Subtotal Potable	60,592
		Subtotal Non-Potable	353
		Total	60,945
DWR NOTES: Units of measure (AF, CCF, MG) must remain consistent throughout the UWMP as reported in Submittal Table 2-3. This table identifies the unit of measure selected in Submittal Table 2-3.			
NOTES: Table 4-1 in UWMP. LACWWD 36 is added as Sales/Transfers/Exchanges to other Suppliers. This includes only what SCV Water provided to LACWWD 36 and does not include what LACWWD 36 produced.			

CWC 10631(d)(1) For an urban retail water supplier, quantify, to the extent records are available, past and current water use...identifying the uses among water use sectors including but not limited to:

- (A) Single-family residential.
- (B) Multifamily.
- (C) Commercial.
- (D) Industrial.
- (E) Institutional and governmental.
- (F) Landscape.
- (G) Sales to other agencies.
- 4 | Water Use Characterization
Draft | November 2025 4-10
- (H) Saline water intrusion barriers, groundwater recharge, or conjunctive use, or any combination thereof.
- (I) Agricultural.
- (J) Distribution system water loss

Submittal Table 4-2 Retail: Total Uses for Potable, and Non-Potable Water — Projected Water Code Section 10631(d)(1)							
Use Type	Additional Description (as needed)	Projected Water Use (Report To the Extent that Records are Available)					
Drop down list May select each use multiple times These are the only Use Types that will be recognized by the WUEdata online submittal tool		Potable or Non-Potable (OPTIONAL) Drop down list	2030 (AF)	2035 (AF)	2040 (AF)	2045 (AF)	2050 opt (AF)
Add additional rows as needed.							
Single Family		Potable	30,163	32,217	32,369	32,797	33,438
Multi-Family		Potable	5,818	6,214	6,244	6,326	6,450
Commercial		Potable	4,564	4,875	4,898	4,963	5,060
Industrial		Potable	1,068	1,141	1,146	1,162	1,184
Institutional/Governmental		Potable	1,558	1,664	1,672	1,694	1,727
Landscape		Potable	12,782	13,653	13,717	13,898	14,170
Distribution System Water Loss		Potable	5,170	5,553	5,612	5,717	5,834
Landscape	Recycled Water	Non-Potable	1,965	2,743	3,517	4,336	4,889
Sales/Transfers/Exchanges to other Suppliers	LACWWD 36	Potable	937	1,017	984	996	1,023
Subtotal Potable			62,060	66,334	66,642	67,553	68,886
Subtotal Non-Potable			1,965	2,743	3,517	4,336	4,889
Total			64,025	69,077	70,159	71,889	73,775
DWR NOTES: Units of measure (AF, CCF, MG) must remain consistent throughout the UWMP as reported in Submittal Table 2-3. This table identifies the unit of measure selected in Submittal Table 2-3.							
NOTES: This is projected water use including passive conservation. Table 4-5 in UWMP. Sales to other agencies for LACWWD 36 includes their total projected demand until 2050 and their water loss. This scenario assumes that LACWWD 36 is not producing their own supply but is dependent on SCV Water.							

CWC 10631(d)(1) For an urban retail water supplier, quantify, to the extent records are available... projected water use...identifying the uses among water use sectors...

Submittal Table 4-3 Retail: Inclusion in Water Use Projections Water Code Section 10631 (a), 10631 (d)(4)(A), and 10631 (d)(4)(B)	
Are Future Water Savings Included in Projections? Drop down list (y/n)	Yes
If "Yes" to above, state the section or page number , in the cell to the right, where citations of the codes, ordinances, or otherwise are utilized in demand projections are found. <i>Optional</i> Suppliers may complete Optional Submittal Table 4-4 R to quantify the expected savings.	4.3.3.1
Are Lower Income Residential Demands Included In Projections? Drop down list (y/n)	Yes
<i>Optional</i> If the method for accounting Lower Income Residential Demands has been included, provide page number where this accounting can be found.	N/A
DWR NOTES: Additional guidance is provided in Appendix K.	
NOTES: Table not included in UWMP, but text is described in 4.3.1 Water for Low-Income Housing and 4.3.3 Water Savings and Conservation	

CWC10631 (d) (4) (A) Water use projections, **where available**, shall display and account for water savings estimated to result from adopted codes, standards, ordinances, or transportation and land use plans identified by the urban water supplier, as applicable to the service area.

CWC 10631 (d) (4) (B) to the extent that an urban water supplier reports the information described in subparagraph (A), an urban water supplier shall do both of the following: (i) Provide citations of the various codes, standards, ordinances or transportation and land use plans utilized in making the projections.

(ii) Indicate the extent that the water use projections consider savings from codes, standards, ordinances, or transportation and land use plans. Water use projections that do not account for these water savings shall be noted of that fact.

CWC 10631(a) Water use projections required by section 10631 shall include projected water use for single-family and multifamily residential housing needed for lower income households, as identified in the housing element of any city, county, or city and county, in the service area of the supplier .

Optional Submittal Table 4-4 Retail: Passive Water Savings Projections
Water Code Section 10631(d)(4)(A)

Description (Codes, Standards, Ordinances, or Plans)	Passive savings				
	2030 (AF)	2035 (AF)	2040 (AF)	2045 (AF)	2050 opt (AF)
Add additional rows as needed					
Passive Conservation (SCV Water Wholesale)	8,435	10,888	13,336	15,246	17,282
DWR NOTES: Units of measure (AF, CCF, MG) must remain consistent throughout the UWMP as reported in Submittal Table 2-3. This table identifies the unit of measure selected in Submittal Table 2-3.					
NOTES: Passive Conservation shown in Figure 4-3. Baseline Demands equal Passive Conservation plus demands listed in Table 4-2. Includes passive conservatrion for LACWWD 36.					

Water Code Section 10631(d)(4)(A) Water use projections, where available, shall display and account for the water savings estimated to result from adopted codes, standards, ordinances, or transportation and land use plans identified by the urban water supplier, as applicable to the service area.

**Submittal Table 4-5 Retail: Water Loss Audit Reporting
Water Code Section 10631(d)(3)(A)**

Public Water System ID # Reported in Table 2-1 R	Reporting Period	Submitted to DWR Water Loss Audit Program (yes/no)
Report submittal status for all five years for each Public Water System as available. Add rows as needed		
CA1910247	2020	Yes
	2021	Yes
	2022	Yes
	2023	Yes
	2024	Yes
CA1910096	2020	Yes
	2021	Yes
	2022	Yes
	2023	Yes
	2024	Yes
CA1910250	2020	Yes
	2021	Yes
	2022	Yes
	2023	Yes
	2024	Yes
CA1910255	2020	Yes
	2021	Yes
	2022	Yes
	2023	Yes
	2024	Yes
CA1910240	2020	Yes
	2021	Yes
	2022	Yes
	2023	Yes
	2024	Yes
CA1910017	2020	Yes
	2021	Yes
	2022	Yes
	2023	Yes
	2024	Yes
DWR NOTES: Suppliers will provide a link to the WUEdata submittals of their Water Loss Audit Reports.		
NOTES: Table is not directly referenced in the UWMP; however, see Section 4.2.		

CWC 10631(d)(3) (A) The distribution system water loss shall be quantified for each of the five years preceding the plan update, in accordance with rules adopted pursuant to Section 10608.34.

Submittal Table 4-6 Retail: Progress Towards 2028 Water Loss Standard
Water Code Section 10631(d)(3)(C)

Public Water System ID # Reported in Submittal Table 2-1 R	Did the Water Board Calculate a Water Loss Standard for this Public Water System? (y/n) If no, Supplier will not complete this row.	Real Water Loss					Apparent Water Loss				
		State Water Board Standard		Most Recent AWWA Water Loss Audit			State Water Board Standard		Most Recent AWWA Water Loss Audit		
		2028 Real Water Loss Standard per Unit per day	Units for Real Water Loss Drop down list	Number of Units (Connections or Miles corresponding with units selected)	Volume of Total Real Loss (from AWWA Water Loss Audit) (AF)	Real Water Loss Per Unit per Day	2028 Apparent Water Loss Standard per Unit per Day	Units for Apparent Water Loss	Number of Connections	Volume of Total Apparent Loss (from AWWA Water Loss Audit) (AF)	Apparent Water Loss Per Unit per Day
Add additional rows as needed.											
CA1910017	Yes	25.7	Gallons per Service Connection per Day (GPSCD)	76369	4215	49.3	16.3	Gallons per Service Connection per Day (GPSCD)	76369	963	11.3

[Water Board's Calculated Water Loss Standards](#)

DWR NOTES: Units of measure (AF, CCF, MG) for Water Loss MUST remain consistent with units reported in Submittal Table 2-3. The units reported in Submittal Table 2-3 are used in this table's calculations.

NOTES: See Table 4-4. Pursuant to Water Code Section 10608.34 and Section 10631(d)(3), SWRCB has established distribution system water loss standards for urban retail water suppliers. In 2025, a single Public Water System Identification number (PWSID CA1910017) was issued to represent the entire SCV Water retail region. No other PWSIDs have a Water Loss Standard assigned. Compliance with these standards is required beginning in 2028. Because the individual public water systems historically reported separately, SCV Water does not have a water loss audit formally submitted that reflects the new system. The data provided here are provisional and draft to highlight progress toward the 2028 water loss standard under the newly consolidated structure.

CWC 10631(d)(3)(C) In the plan due July 1, 2021, and in each update thereafter, data shall be included to show whether the urban retail water supplier met the distribution loss standards enacted by the board pursuant to Section 10608.34.

Submittal Table 5-1 Retail: SB X7-7 2020 Target Progress
Water Code Section 10608.40

Check the box if the Supplier was not an Urban Water Supplier during or before the 2020 UWMP reporting cycle. Proceed to the next table.

Was Supplier part of a merger or consolidation since 2020?	Regional Alliance Target or Individual Target? Drop down list	2020 Target	Actual 2020 GPCD	Did Supplier Achieve Targeted Reduction for 2020?	Only for suppliers that did not meet the Target in 2020 See DWR NOTES below.	
					Actual 2025 GPCD (From SB X7-7 Compliance Form)	Did Supplier meet the 2020 Target in 2025?
No	Individual Target	220	205	Yes		NA

DWR NOTES:
Suppliers calculating a 2025 GPCD will need to complete and submit SB X 7-7 Compliance Tables to verify the use of SB X7-7 Methodologies.
Suppliers that were part of a merger or consolidation since 2020 see Chapter 5 and Appendix P for guidance.
 NA=Not Applicable

NOTES: Represents **Table 5-1 in UWMP.**

10608.40 Urban water retail suppliers shall report to the department on their progress in meeting their urban water use targets as part of their urban water management plans submitted pursuant to Section 10631.

Submittal Table 6-1 Retail: Groundwater Volume Pumped Water Code Section 10631(4) and 10631(4)(c)							
<input type="checkbox"/>	Check the box if the Supplier does not pump groundwater. Proceed to the next table.						
<input type="checkbox"/>	Check the box if all or part of the groundwater described below is desalinated. (OPTIONAL)						
Groundwater Type Drop Down List May use each category multiple times	Potable or Non-Potable (OPTIONAL) Drop down list	Location or Basin Name	2021 (AF)	2022 (AF)	2023 (AF)	2024 (AF)	2025 (AF)
Add additional rows as needed							
Alluvial Basin	Potable	SCV Water Retail - Alluvial	14,068	13,619	8,616	10,037	13,186
Alluvial Basin	Potable	SCV Water Retail - Saugus	10,626	9,445	4,214	4,825	6,199
Total			24,694	23,064	12,830	14,862	19,385
DWR NOTES: Units of measure (AF, CCF, MG) must remain consistent throughout the UWMP as reported in Submittal Table 2-3. This table identifies the unit of measure selected in Submittal Table 2-3.							
NOTES: Table 6-6 in UWMP.							

10631(4) If groundwater is identified as an existing or planned source of water available to the supplier, all of the following information:

(C) A detailed description and analysis of the location, amount, and sufficiency of groundwater pumped by the urban water supplier for the past five years. The description and analysis shall be based on information that is reasonably available, including, but not limited to, historic use records.

Submittal Table 6-2 Retail: Wastewater Collected Within Service Area Water Code Section 10633(a)				
<input type="checkbox"/>	Check the box if there is no wastewater collection system. Proceed to the next table.			
	Percentage of 2025 service area served by wastewater collection system (OPTIONAL)			
	Percentage of 2025 service area population served by wastewater collection system (OPTIONAL)			
Wastewater Collection			Recipient of Collected Wastewater	
Name of Wastewater Collection Agency	Wastewater Volume Metered or Estimated? OPTIONAL Drop Down List	Volume of Wastewater Collected from UWMP Service Area 2025 (AF)	Name of Wastewater Treatment Plant (WWTP) and Place ID Number Drop down list	Is WWTP Located Within UWMP Area? Drop Down List
Add additional rows as needed				
Santa Clarita Valley Sanitation District		6,127	Saugus Water Reclamation Plant, Place ID 260494	Yes
Santa Clarita Valley Sanitation District		16,243	Valencia WRP, Place ID 270849	Yes
City of Santa Clarita		267	Vista Canyon Water Factory, Place ID 805193	Yes
Total Wastewater Received from UWMP Service Area in 2025:		22,637		
DWR NOTES: Units of measure (AF, CCF, MG) must remain consistent throughout the UWMP as reported in Submittal Table 2-3. This table identifies the unit of measure selected in Submittal Table 2-3.				
Additional Guidance: See Appendix M, Section M.21 for detailed guidance on this table.				
NOTES: Table 6-3 in UWMP				

CWC 10633(a) A description of the wastewater collection and treatment systems in the supplier’s service area, including a quantification of the amount of wastewater collected and treated and the methods of wastewater disposal.

Submittal Table 6-3 Retail: Wastewater Treatment and Outcomes Within UWMP Service Area
Water Code Section 10633(b)

2025 Outcomes of Treated Wastewater														
Wastewater Treatment Plant Name and Place ID Number <small>Drop down list</small>	Does This Plant Treat Wastewater Generated Outside the UWMP Service Area? <small>(OPTIONAL)</small> <small>Drop down list</small>	2025 Volume of Wastewater Received from UWMP Service Area (As Reported in Submittal Table 6-2 R) (AF)	Total 2025 Volume of Water Treated (AF)	Water Recycled Within UWMP Service Area <small>(enter data as applicable)</small>		Water Recycled Outside of UWMP Service Area <small>(enter data as applicable)</small>		Effluent Discharge that is not a Permitted Recycled Water Use <small>(enter data as applicable)</small>		Required Discharge for Instream Flow <small>(enter data as applicable)</small>		Delivered to Another Entity for Additional Treatment <small>(enter data as applicable)</small>		
				Treatment Level <small>Drop down list</small>	Volume (AF)	Treatment Level <small>Drop down list</small>	Volume (AF)	Treatment Level <small>Drop down list</small>	Volume (AF)	Treatment Level <small>Drop down list</small>	Volume (AF)	Treatment Level <small>Drop down list</small>	Volume (AF)	Name of other entity
Add additional rows as needed														
Saugus Water Reclamation Plant, Place ID 260494		6,127	6,127	Tertiary	-	Tertiary	-	Tertiary	4785	Tertiary	-	Tertiary	0	
Valencia WRP, Place ID 270849		16,243	16,243	Tertiary	395	Tertiary	-	Tertiary	16037	Tertiary	-	Tertiary	0	
Vista Canyon Water Factory, Place ID 805193		267	267	Tertiary	6	Tertiary	-	Tertiary	227	Tertiary	-	Tertiary	227	Saugus WRP
Total		22,637	22,637		401		0		21,049		0		227	
DWR NOTES: Units of measure (AF, CCF, MG) must remain consistent throughout the UWMP as reported in Submittal Table 2-3. This table identifies the unit of measure selected in Submittal Table 2-3. IPR: Indirect Potable Reuse would have the treatment level of its end use requirement in the Level of Treatment drop-down. Additional Guidance: See Appendix M, Section M.21 for detailed guidance on this table. NOTES: Represents Table 6-4 in UWMP. At the Valencia WRP, the total effluent flow (river+river discharge) exceeds the influent flow. Influent and effluent flow data is within meter accuracy.														

10633. The plan shall provide, to the extent available, information on recycled water and its potential for use as a water source in the service area of the urban water supplier...and shall include all of the following:
(b) A description of the quantity of treated wastewater that meets recycled water standards, is being discharged, and is otherwise available for use in a recycled water project.

Submittal Table 6-4 Retail: Recycled Water Direct Beneficial Uses Within Service Area										
Water Code Section 10633 (c),(d),(e)										
<input type="checkbox"/>		Check box if recycled water is not used and is not planned for use within the service area of the supplier. The supplier will only complete the column on "Potential Recycled Water Use" and submit an accompanying narrative on the feasibility of that potential recycled water use.								
Name(s) of Facility/ies Producing (Treating) the Recycled Water (OPTIONAL) :										
Name of Supplier Operating the Recycled Water Distribution System (OPTIONAL) :										
Volume of Supplemental Water Added in 2025 (OPTIONAL) :										
Source of 2025 Supplemental Water (OPTIONAL) :										
Use Type Drop down list	Potable or Non-Potable (after treatment if treated) (OPTIONAL) Drop down list	Additional Information (as needed)	2025 (AF)	2030 (AF)	2035 (AF)	2040 (AF)	2045 (AF)	2050 (AF)	Potential Recycled Water Use	
									Volume	Narrative page number (OPTIONAL)
Add additional rows as needed										
Landscape irrigation (exc golf courses)	Non-Potable		115	1365	2143	2917	3736	4574		
Golf course irrigation	Non-Potable		238	600	600	600	600	600		
		Subtotal Potable	0	0	0	0	0	0	0	
		Subtotal Non-Potable	353	1,965	2,743	3,517	4,336	5,174	0	
		Total	353	1965	2743	3517	4336	5174	0	0
<p>DWR NOTES: Units of measure (AF, CCF, MG) must remain consistent throughout the UWMP as reported in Submittal Table 2-3. This table identifies the unit of measure selected in Submittal Table 2-3.</p> <p>Additional Guidance: See Appendix M, Section M.21 for detailed guidance on this table.</p> <p>Potential recycled water use: a description of the feasibility of these uses must be included in the narrative.</p> <p>Multiple Producers: If you have multiple recycled water producers, submit a separate table for each.</p>										
<p>NOTES: Represents Table 6-12 in UWMP</p>										

10633. The plan shall provide, to the extent available, information on recycled water and its potential for use as a water source in the service area of the urban water supplier... and shall include...

(c) A description of the recycled water currently being used in the supplier's service area, including, but not limited to, the type, place, and quantity of use

d) A description and quantification of the potential uses of recycled water, including, but not limited to, agricultural irrigation, landscape irrigation, wildlife habitat enhancement, wetlands, industrial reuse, groundwater recharge, indirect potable reuse, and other appropriate uses, and a determination with regard to the technical and economic feasibility of serving those uses.

(e) The projected use of recycled water within the supplier's service area at the end of 5, 10, 15, and 20 years, and a description of the actual use of recycled water in comparison to uses previously projected pursuant to this subdivision.

Submittal Table 6-5 Retail: 2020 UWMP Recycled Water Use Projection Compared to 2025 Actual		
Water Code Section 10633(e)		
<input type="checkbox"/>	Check the box if recycled water was not used in 2025 nor previously projected for use in 2020. Proceed to the next table.	
Use Type Drop Down list	2020 Projection for 2025 (AF)	2025 Actual Use (AF)
Add additional rows as needed		
Landscape irrigation (exc golf courses)	1,306	115
Golf course irrigation	993	238
Total	2,299	353
DWR NOTES: Units of measure (AF, CCF, MG) must remain consistent throughout the UWMP as reported in Submittal Table 2-3. This table identifies the unit of measure reported in Submittal Table 2-3 Additional Guidance: See Appendix M, Section M.21 for detailed guidance on this table.		
NOTES: Table 6-8 in UWMP		

10633. The plan shall provide, to the extent available, information on recycled water and its potential for use as a water source in the service area of the urban water supplier. The preparation of the plan shall be coordinated with local water, wastewater, groundwater, and planning agencies that operate within the supplier's service area, and shall include all of the following: (e) ...a description of the actual use of recycled water in comparison to uses previously projected pursuant to this subdivision

Submittal Table 6-6 Retail: Methods to Encourage Future Recycled Water Use Water Code Section 10633(f)			
<input type="checkbox"/>	Check the box if the Supplier does not plan to expand recycled water use in the future. Supplier will not complete the table below but will provide narrative explanation.		
Section 6.4.2	Provide page location of narrative in the UWMP		
Name of Action	Description	Planned Implementation Year	Expected Increase in Recycled Water Use (AF)
Add additional rows as needed			
Purple PREP	RW Customer Conversion Incentives and Direct Installation	2029	450
New Development	Permitting and Construction of RW Infrastructure in SCV	Ongoing	6,499
RW Optimization Study	Assess RW Optimal Use in the SCV Including Groundwater Recharge, and Distribution Expansion	2027	TBD
Total (AF)			6,949
Unit Conversion to AF			6,949
DWR NOTES:			
Units of measure (AF, CCF, MG) MUST remain consistent with units reported in Submittal Table 2-3. This table identifies the unit of measure selected in Submittal Table 2-3.			
The unit conversion to Acre Feet addresses the Water Code's requirement that this value be provided in acre-feet.			
NOTES: Table 6-13 in UWMP			

10633. The plan shall provide, to the extent available, information on recycled water and its potential for use as a water source in the service area of the urban water supplier. The preparation of the plan shall be coordinated with local water, wastewater, groundwater, and planning agencies that operate within the supplier's service area, and shall include all of the following:

(f) a description of actions, including financial incentives, which may be taken to encourage the use of recycled water, and the projected results of these actions in terms of **acre feet** of recycled water used per year.

Submittal Table 6-7 Retail: Expected Future Water Supply Projects or Programs Water Code Section 10631(f)							
<input type="checkbox"/>	Check the box if there are no expected future water supply projects or programs that provide a quantifiable increase to the agency's water supply. Proceed to the next table.						
<input type="checkbox"/>	Check the box if some or all of the supplier's future water supply projects or programs are not compatible with this table and are described in a narrative format.						
6-26	Provide page location of narrative in the UWMP						
Name of Future Projects or Programs	Joint Project with other suppliers?		Additional Description (as needed)	Potable or Non-Potable (after treatment if treated) (OPTIONAL) Drop Down list	Planned Implementation Year	Planned for Use in Year Type Drop Down List	Expected Increase in Water Supply to Supplier (This may be a range) (AF)
	Drop Down List (yes/no)	If Yes, Supplier Name					
Add additional rows as needed							
DWR NOTES:							
Units of measure (AF, CCF, MG) must remain consistent throughout the UWMP as reported in Submittal Table 2-3. This table identifies the unit of measure reported in Submittal Table 2-3.							
NOTES: Represents Table 6-10 in UWMP							

10631 (f) Include a description of all water supply projects and water supply programs that may be undertaken by the urban water supplier to meet the total projected water use, as established pursuant to subdivision (a) of Section 10635. The urban water supplier shall include a detailed description of expected future projects and programs that the urban water supplier may implement to increase the amount of the water supply available to the urban water supplier in normal and single-dry water years and for a period of drought lasting five consecutive water years. The description shall identify specific projects and include a description of the increase in water supply that is expected to be available from each project. The description shall include an estimate with regard to the implementation timeline for each project or program.

Submittal Table 6-8 Retail: Water Supplies — Actual Water Code Section 10631(b)				
Water Supply	Additional Description (as needed)	2025		
Drop down list May use each category multiple times. These are the only water supply categories that will be recognized by the WUEdata online submittal tool		Potable or Non-Potable (after treatment if treated) (OPTIONAL) Drop Down list	Actual Volume (AF)	Total Entitlement (OPTIONAL) See 'DWR Notes' below (AF)
Add additional rows as needed				
Purchased or Imported Water	SWP	Potable	28,761	
Purchased or Imported Water	Buena Vista Rosedale	Potable	11,000	
Groundwater (not desalinated)	Alluvial	Potable	14,166	
Groundwater (not desalinated)	Saugus	Potable	6,199	
Recycled Water		Non-Potable	353	
Subtotal Potable			60,126	
Subtotal Non-Potable			353	
Total			60,479	
DWR NOTES: Units of measure (AF, CCF, MG) must remain consistent throughout the UWMP as reported in Submittal Table 2-3. This table identifies the unit of measure selected in Submittal Table 2-3. Total Entitlement: e.g. Water Right, Groundwater Allocation, Contracted Amount.				
NOTES: Table 6-5 in UWMP				

10631. A plan shall be adopted in accordance with this chapter that shall do all of the following... (b) Identify and quantify, to the extent practicable, the existing and planned sources of water available to the supplier over the same five-year increments described in subdivision (a), providing supporting and related information...

Submittal Table 6-9 Retail: Water Supplies — Projected
Water Code Section 10631 (b)

Water Supply	Additional Detail on Water Supply	Potable or Non-Potable (after treatment if treated) (OPTIONAL) Drop Down list	Projected Water Supply (Report to the Extent Practicable)									
			2030		2035		2040		2045		2050 (opt)	
			Reasonably Available Volume (AF)	Total Entitlement (OPTIONAL) See 'DWR Notes' below (AF)	Reasonably Available Volume (AF)	Total Entitlement (OPTIONAL) See 'DWR Notes' below (AF)	Reasonably Available Volume (AF)	Total Entitlement (OPTIONAL) See 'DWR Notes' below (AF)	Reasonably Available Volume (AF)	Total Entitlement (OPTIONAL) See 'DWR Notes' below (AF)	Reasonably Available Volume (AF)	Total Entitlement (OPTIONAL) See 'DWR Notes' below (AF)
Add additional rows as needed												
Purchased or Imported Water	SWP	Potable	45,696		43,792		41,888		40,936		40,936	
Purchased or Imported Water	Buena-Vista Rosedale	Potable	11,000		11,000		11,000		11,000		11,000	
Purchased or Imported Water	Nickel Water	Potable	0		1,607		1,607		1,607		1,607	
Groundwater (not desalinated)	Saugus	Potable	10,290		10,690		10,690		11,090		11,090	
Groundwater (not desalinated)	Alluvium	Potable	29,650		30,783		30,783		30,783		30,783	
Recycled Water		Non-Potable	1,965		2,743		3,517		4,336		5,174	
Subtotal Potable			96,636	0	97,872	0	95,968	0	95,416	0	95,416	0
Subtotal Non-Potable			1,965	0	2,743	0	3,517	0	4,336	0	5,174	0
Total			98,601	0	100,615	0	99,485	0	99,752	0	100,590	0
DWR NOTES:												
Units of measure (AF, CCF, MG) must remain consistent throughout the UWMP as reported in Submittal Table 2-3.												
Total Entitlement: e.g. Water Right, Groundwater Allocation, Contracted Amount.												
NOTES: Table 6-9 in UWMP.												

10631. A plan shall be adopted in accordance with this chapter that shall do all of the following... (b) Identify and quantify, to the extent practicable, the existing and planned sources of water available to the supplier over the same five-year increments described in subdivision (a), providing supporting and related information, including all of the following

Submittal Table 7-2 Retail: Normal Year Supply and Use Comparison Water Code Section 10635 (a)					
	2030 (AF)	2035 (AF)	2040 (AF)	2045 (AF)	2050 (AF)
Supply totals (autofill from Submittal Table 6-9 R)	98,601	100,615	99,485	99,752	100,590
Use totals (autofill from Submittal Table 4-2 R)	64,025	69,077	70,206	71,913	73,775
Surplus/(shortfall)	34,576	31,538	29,279	27,839	26,815
OPTIONAL Planned WSCP Actions					
WSCP - supply augmentation benefit					
WSCP - use reduction savings benefit					
Revised Surplus/(shortfall)					
DWR NOTES : Units of measure (AF, CCF, MG) must remain consistent throughout the UWMP as reported in Submittal Table 2-3.					
NOTES: Table 7-4 in UWMP					

10635. (a) Every urban water supplier shall include, as part of its urban water management plan, an assessment of the reliability of its water service to its customers during normal, dry, and multiple dry water years. This water supply and demand assessment shall compare the total water supply sources available to the water supplier with the long-term total projected water use over the next 20 years, in five-year increments, for a normal water year, a single dry water year, and a drought lasting five consecutive water years.

**Submittal Table 7-3 Retail: Single Dry Year Supply and Use Comparison
Water Code Section 10635(a)**

	2030 (AF)	2035 (AF)	2040 (AF)	2045 (AF)	2050 (AF)
Supply totals	88,648	101,330	102,104	102,923	103,761
Use totals	69,147	74,603	75,822	77,666	79,677
Surplus/(shortfall)	19,501	26,727	26,282	25,257	24,084
OPTIONAL Planned WSCP Actions					
WSCP - supply augmentation benefit					
WSCP - use reduction savings benefit					
Revised Surplus/(shortfall)					
DWR NOTES : Units of measure (AF, CCF, MG) must remain consistent throughout the UWMP as reported in Submittal Table 2-3.					
NOTES: Table 7-4 in UWMP					

10635. (a) Every urban water supplier shall include, as part of its urban water management plan, an assessment of the reliability of its water service to its customers during normal, dry, and multiple dry water years. This water supply and demand assessment **shall compare the total water supply sources available to the water supplier with the long-term total projected water use over the next 20 years, in five-year increments**, for a normal water year, a **single dry water year**, and a drought lasting five consecutive water years.

**Submittal Table 7-4 Retail: Multiple Dry Years Supply and Use Comparison
Water Code Section 10635(a)**

		2030 (AF)	2035 (AF)	2040 (AF)	2045 (AF)	2050 (AF)
First year	Supply totals	94,484	107,166	107,940	110,968	111,806
	Use totals	67,354	72,669	73,857	75,652	77,611
	Surplus/(shortfall)	27,130	34,497	34,083	35,316	34,195
	OPTIONAL Planned WSCP Actions					
	WSCP - supply augmentation benefit					
	WSCP - use reduction savings benefit					
	Revised Surplus/(shortfall)					
Second year	Supply totals	121,140	133,822	134,596	137,624	138,462
	Use totals	67,354	72,669	73,857	75,652	77,611
	Surplus/(shortfall)	53,786	61,153	60,739	61,972	60,851
	OPTIONAL WSCP Actions					
	WSCP - supply augmentation benefit					
	WSCP - use reduction savings benefit					
	Revised Surplus/(shortfall)					
Third year	Supply totals	91,628	104,310	105,084	108,112	108,950
	Use totals	67,354	72,669	73,857	75,652	77,611
	Surplus/(shortfall)	24,274	31,641	31,227	32,460	31,339
	OPTIONAL Planned WSCP Actions					
	WSCP - supply augmentation benefit					
	WSCP - use reduction savings benefit					
	Revised Surplus/(shortfall)					
Fourth year	Supply totals	99,244	111,926	112,700	115,728	116,566
	Use totals	67,354	72,669	73,857	75,652	77,611
	Surplus/(shortfall)	31,890	39,257	38,843	40,076	38,955
	OPTIONAL Planned WSCP Actions					
	WSCP - supply augmentation benefit					
	WSCP - use reduction savings benefit					
	Revised Surplus/(shortfall)					
Fifth year	Supply totals	106,860	119,542	120,316	123,344	124,182
	Use totals	67,354	72,669	73,857	75,652	77,611
	Surplus/(shortfall)	39,506	46,873	46,459	47,692	46,571
	OPTIONAL Planned WSCP Actions					
	WSCP - supply augmentation benefit					
	WSCP - use reduction savings benefit					
	Revised Surplus/(shortfall)					• 0

DWR NOTES: Units of measure (AF, CCF, MG) must remain consistent throughout the UWMP as reported in Submittal Table 2-3.

NOTES: Table 7-5 in UWMP.

10635. (a) Every urban water supplier shall include, as part of its urban water management plan, an assessment of the reliability of its water service to its customers during normal, dry, and multiple dry water years. This water supply and demand assessment shall compare the total water supply sources available to the water supplier with the long-term total projected water use over the next 20 years, in five-year increments, for a normal water year, a single dry water

2026		Total
Total Water Use (AF)		64,971
Total Supplies (AF)		77,291
Surplus/Shortfall w/o WSCP Action		12,320
OPTIONAL Planned WSCP Actions (use reduction and supply augmentation)		
WSCP - supply augmentation benefit (AF)		
WSCP - use reduction savings benefit (AF)		
Revised Surplus/(shortfall)		
2027		Total
Total Water Use (AF)		66,099
Total Supplies (AF)		100,998
Surplus/Shortfall w/o WSCP Action		34,899
OPTIONAL Planned WSCP Actions (use reduction and supply augmentation)		
WSCP - supply augmentation benefit (AF)		
WSCP - use reduction savings benefit (AF)		
Revised Surplus/(shortfall)		
2028		Total
Total Water Use (AF)		64,622
Total Supplies (AF)		82,425
Surplus/Shortfall w/o WSCP Action		17,803
OPTIONAL Planned WSCP Actions (use reduction and supply augmentation)		
WSCP - supply augmentation benefit (AF)		
WSCP - use reduction savings benefit (AF)		
Revised Surplus/(shortfall)		
2029		Total
Total Water Use (AF)		65,406
Total Supplies (AF)		97,224
Surplus/Shortfall w/o WSCP Action		31,818
OPTIONAL Planned WSCP Actions (use reduction and supply augmentation)		
WSCP - supply augmentation benefit (AF)		
WSCP - use reduction savings benefit (AF)		
Revised Surplus/(shortfall)		
2030		Total
Total Water Use (AF)		68,167
Total Supplies (AF)		106,898
Surplus/Shortfall w/o WSCP Action		38,731
OPTIONAL Planned WSCP Actions (use reduction and supply augmentation)		
WSCP - supply augmentation benefit (AF)		
WSCP - use reduction savings benefit (AF)		
Revised Surplus/(shortfall)		
DWR NOTES: Units of measure (AF, CCF, MG) must remain consistent throughout the UWMP as reported in Submittal Table 2-3.		
NOTES: Represents Passive Conservation Demands. See Table 7-7 in UWMP		

10635 (b) Every urban water supplier shall include, as part of its urban water management plan, a **drought risk assessment** for its water service... The drought risk assessment shall include each of the following:

- (1) A description of the data, methodology, and basis for one or more supply shortage conditions that are necessary to conduct a drought risk assessment for a drought period that lasts five consecutive water years, starting from the year following when the assessment is conducted.
- (2) A determination of the reliability of each source of supply under a variety of water shortage conditions. This may include a determination that a particular source of water supply is fully reliable under most, if not all, conditions.
- (3) A comparison of the total water supply sources available to the water supplier with the total projected water use for the drought period.
- (4) Considerations of the historical drought hydrology, ...

**Submittal Table 8-1: Cross-reference for Standard vs Supplier Shortage Levels
Water Code Section 10632(a)(3)(B)**

<input type="checkbox"/>	Check the box if the Supplier uses the Standard six levels of water shortage. Proceed to the next table.		
Standard Shortage Levels	Percent Shortage Range	Suppliers Shortage Levels	Percent Shortage Range
1	Up to 10%	1	Up to 10%
2	Up to 20%	2	Up to 20%
3	Up to 30%	3	Up to 30%
4	Up to 40%	4	Up to 40%
5	Up to 50%	5	Up to 50%
6	>50%	6	>50%

NOTES: Represents Figure 8-2 in UWMP

10632 (a) Every urban water supplier shall prepare and adopt a water shortage contingency plan as part of its urban water management plan that consists of each of the following elements:

(3)(A) Six standard water shortage levels corresponding to progressive ranges of up to 10, 20, 30, 40, and 50 percent shortages and greater than 50 percent shortage. **Urban water suppliers shall define these shortage levels based on the suppliers' water supply conditions, including percentage reductions in water supply, changes in groundwater levels, changes in surface elevation or level of subsidence, or other changes in hydrological or other local conditions indicative of the water supply available for use.** Shortage levels shall also apply to catastrophic interruption of water supplies, including, but not limited to, a regional power outage, an earthquake, and other potential emergency events.

(B) An urban water supplier with an existing water shortage contingency plan that uses different water shortage levels may comply with the requirement in subparagraph (A) by developing and including a cross-reference relating its existing categories to the six standard water shortage levels.

Submittal Table 8-2 Retail: Supply Augmentation and Other Actions				
Water Code Section 10632(a)(4)(A),(C) and (E)				
Is the Supplier completing this table using the standard six levels? (yes/no)				
Shortage Level	Supply Augmentation Methods and Other Actions by Water Supplier Drop down list These are the only categories that will be accepted by the WUEdata online submittal tool	How much is this going to reduce the shortage gap?		Additional Explanation or Reference (OPTIONAL)
		Volume or Percentage Drop down	Shortage Gap Reduction Value (May be a range) (AF)	
Add additional rows as needed				
1-6	Stored Emergency Supply	Volume	Varies	Article 56C (Carryover supplies)
1-6	Stored Emergency Supply	Volume	10,000	Rosedale-Bravo Bank
1-6	Stored Emergency Supply	Volume	5,000	Semitropic Bank
1-6	Other Actions	Volume	Varies	pump from Saugus Groundwater
1-6	Other Actions	Volume	1,000	Yuba Accord Water
1-6	Transfers	Volume	3,000	State Water Contractor Dry Year Transfer
1-6	Other Actions	Volume	1,607	Nickel Water
1-6	Stored Emergency Supply	Volume	4,950	Newhall Land Bank
1-6	Stored Emergency Supply	Volume	6,060	Emergency Storage in Castaic Lake
DWR NOTES: Units of measure (AF, CCF, MG) must remain consistent throughout the UWMP as reported in Submittal Table 2-3.				
NOTES: Table 8-2 in UWMP				

10632(a)(4) Shortage response actions that align with the defined shortage levels and include, at a minimum, all of the following:

(A) Locally appropriate supply augmentation actions.

(C) Locally appropriate operational changes.

(E) For each action, an estimate of the extent to which the gap between supplies and demand will be reduced by implementation of the action.

Submittal Table 8-3 Retail: Demand Reduction Actions					
Water Code Section 10632(a)(4)(B),(D), and (E)					
Yes	Is the Supplier completing this table using the standard six levels? (yes/no)				
Shortage Level	Demand Reduction Actions Drop down list These are the only categories that will be accepted by the WUedata online submittal tool. Select those that apply.	How much is this going to reduce the shortage gap?		Additional Explanation or Reference (OPTIONAL)	Penalty, Charge, or Other Enforcement? For Retail Suppliers Only Drop Down List
		Volume or Percentage Drop down	Shortage Gap Reduction Value (May be a range) (AF)		
Add additional rows as needed					
1	Expand Public Information Campaign	Percentage	5%	Education	No
1	Other	Percentage	3%	Increased conservation program marketing	No
1	Other	Percentage	1%	Targeted Engagement	No
1	Other	Percentage	1%	Mandatory Prohibition	Yes
2	Expand Public Information Campaign	Percentage	5%	Education	No
2	Other	Percentage	4%	Increased conservation program marketing	No
2	Other	Percentage	10%	Targeted Engagement	No
2	Other	Percentage	3%	Mandatory Prohibition	Yes
3	Expand Public Information Campaign	Percentage	5%	Education about significant shortage	No
3	Other	Percentage	5%	Increased conservation program marketing - consider direct install	No
3	Other	Percentage	15%	Targeted Engagement - add mid-range users	No
3	Other	Percentage	5%	Mandatory Prohibition	Yes
4	Expand Public Information Campaign	Percentage	10%	Education about severe shortage	No
4	Other	Percentage	6%	Increased conservation program marketing - program incentives	No
4	Other	Percentage	15%	Targeted Engagement - broaded	No
4	Other	Percentage	5%	Mandatory Prohibition	Yes
5	Expand Public Information Campaign	Percentage	10%	Education about critical shortage	No
5	Other	Percentage	6%	Suspend lawn replacement programs, continue	No
5	Other	Percentage	15%	Targeted Engagement - broaded	No
5	Other	Percentage	25%	Mandatory Prohibition	Yes
6	Expand Public Information Campaign	Percentage	10%	Education about critical shortage	No
6	Other	Percentage	1%	Suspend all programs except leak detection and repairs	No
6	Other	Percentage	15%	Annouce water for essential use only	No
6	Other	Percentage	25%	Mandatory Prohibition	Yes
DWR NOTES: Units of measure (AF, CCF, MG) must remain consistent throughout the UWMP as reported in Submittal Table 2-3.					
NOTES: Table 8-3 in UWMP.					

10632(a)(4) Shortage response actions that align with the defined shortage levels and include, at a minimum, all of the following:

- (B) Locally appropriate demand reduction actions to adequately respond to shortages.
- (D) Additional, mandatory prohibitions against specific water use practices that are in addition to state-mandated prohibitions and appropriate to the local conditions.
- (E) For each action, an estimate of the extent to which the gap between supplies and demand will be reduced by implementation of the action.

**Submittal Table 10-1 Retail: Notification to Cities and Counties
Water Code Section 10621(b) and 10642**

City Name	60 Day Notice Drop Down (yes/no)	Notice of Public Hearing Drop Down (yes/no)
Add additional rows as needed		
Santa Clarita	Yes	Yes
County Name Drop Down List	60 Day Notice Drop Down (yes/no)	Notice of Public Hearing Drop Down (yes/no)
Add additional rows as needed		
Ventura County	Yes	Yes
Los Angeles County	Yes	Yes
NOTES: Represents Table 10-1 in UWMP		

CWC 10621 (b) Notify at least 60 days prior to the public hearing any city or county within which the supplier provides water that the urban water supplier will be reviewing the plan and considering amendments or changes to the plan.

CWC 10642 The water supplier is to provide the time and place of the hearing to any city or county within which the supplier provides water.



**Woodard
& Curran**

woodardcurran.com